

Product List of Wifi Adapter

| Item | Product Name | Picture | Product Description |
|------|--------------------------------|---|--|
| | Part number | | |
| 1 | LGX-L1 (Wifi4 150M) |  | <ol style="list-style-type: none"> 1. Color: Black+Red 2. Material: ABS+PC 3. Chipset: RTL8188ETV 4. Wireless Standards: IEEE802.11b/g/n 5. Transmission Rate: 2.4GHz:150Mbps 6. Interface type: USB2.0 7. Encryption Mode: WEP, WPA/WPA2, TKIP+AES 8. Support Systems: Win 10/11 driver free |
| 2 | LGX-L2 (Wifi4 150M) |  | <ol style="list-style-type: none"> 1. Color: Black+Red 2. Material: ABS+PC 3. Chipset: RTL8188ETV 4. Wireless Standards: IEEE802.11b/g/n 5. Transmission Rate: 2.4GHz:150Mbps 6. Interface type: USB2.0 7. Encryption Mode: WEP, WPA/WPA2, TKIP+AES 8. Support Systems: Win 10/11 driver free |
| 3 | LGX-L2Neo (Wifi6 AX300M) |  | <ol style="list-style-type: none"> 1. Color: Black+Red 2. Material: ABS+PC 3. Chipset: AIC8800FC 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4G: 286Mbps 6. Interface type: USB2.0 7. Encryption Mode: WPA-WEP, WPA-PSK, WPA2-PSK/WPA3 8. Support Systems: Windows 7/10/11 |
| 4 | LGX-L13SE (Wifi5 AC600M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8811CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz: 150Mbps; 5.8GHz: 433Mbps 6. Interface type: USB2.0 7. Encryption Mode: WEP, WPA/WPA2-PSK 8. Support Systems: Win XP/Vista/7/8/10/11, Linx; Mac OS (Win 10/11 driver free) |
| 5 | LGX-L13BT SE (Wifi5 AC600M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz: 150Mbps; 5.8GHz: 433Mbps 6. Interface type: USB2.0 7. Bluetooth: 4.2 8. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 9. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |

| | | | |
|----|--|---|--|
| 6 | LGX-L13BT Lite (Wifi6 AX900M + BT5.3) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M80 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz: 601Mbps 6. Interface type: USB2.0 7. Bluetooth: 5.3 8. Encryption Mode: WEP, WPA, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/10/11 10. Bluetooth Support Systems: Win10/Win11 |
| 7 | LGX-L12BT SE (Wifi5 AC600M + BT4.2) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz: 150Mbps; 5.8GHz: 433Mbps 6. Interface type: USB2.0 7. Bluetooth: 4.2 8. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 9. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |
| 8 | LGX-L12BT Lite (Wifi6 AX900M + BT5.3) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M80 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz: 601Mbps 6. Interface type: USB2.0 7. Bluetooth: 5.3 8. Encryption Mode: WEP, WPA, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/10/11 10. Bluetooth Support Systems: Win10/Win11 |
| 9 | LGX-L14BT Lite (Wifi6 AX900M + BT) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz: 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Bluetooth Version: 5.3 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 10. Support Systems: Win7/Win10/Win11 11. Bluetooth Support Systems: Win10/Win11 |
| 10 | LGX-L3BT SE (Wifi5 AC600M + BT4.2) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:150Mbps; 5.8GHz:443Mbps 6. Interface type: USB2.0 7. Antenna: 2*3dBi 8. Bluetooth: 4.2 9. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 10. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |
| | LGX-L3S (Wifi5 AC1200M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8812BU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 9. Support Systems: Windows XP/Vista/7/8/10/11, Mac OS (Win10/11Free Drive) |

| | | | |
|----|--|---|---|
| | LGX-L3Mate (Wifi5 AC1300M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: BCM43569, Broadcom, US 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:400Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK/WPA2-PSK 9. Support Systems: Win7/Win8/Win10/Win11 |
| | LGX-L3Lite (Wifi6 AX900) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/Win10/Win11 |
| | LGX-L3BT Lite (Wifi 6 AX900M + BT5.3) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Bluetooth Version: 5.3 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 10. Support Systems: Win7/Win10/Win11 11. Bluetooth Support Systems: Win10/Win11 |
| 10 | LGX-L4BT SE (Wifi5 AC600M + BT4.2) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:150Mbps; 5.8GHz:443Mbps 6. Interface type: USB2.0 7. Antenna: 2*3dBi 8. Bluetooth: 4.2 9. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 10. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |
| 11 | LGX-L4S (Wifi5 AC1200M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8812BU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 9. Support Systems: Windows XP/Vista/7/8/10/11, Mac OS (Win10/11Free Drive) |
| 12 | LGX-L4Mate (Wifi5 AC1300M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: BCM43569, Broadcom, US 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:400Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK/WPA2-PSK 9. Support Systems: Win7/Win8/Win10/Win11 |

| | | | |
|----|--|---|---|
| | LGX-L4Lite (Wifi6 AX900) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/Win10/Win11 |
| | LGX-L4BT Lite (Wifi 6 AX900M + BT5.3) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Bluetooth Version: 5.3 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 10. Support Systems: Win7/Win10/Win11 11. Bluetooth Support Systems: Win10/Win11 |
| 13 | LGX-L5BT SE (Wifi5 AC600M + BT4.2) |  | <ol style="list-style-type: none"> 1. Color: White 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:150Mbps; 5.8GHz:443Mbps 6. Interface type: USB2.0 7. Antenna: 2*3dBi 8. Bluetooth: 4.2 9. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 10. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |
| 14 | LGX-L5S (Wifi5 AC1200M) |  | <ol style="list-style-type: none"> 1. Color: White 2. Material: ABS+PC 3. Chipset: RTL8812BU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 9. Support Systems: Windows XP/Vista/7/8/10/11, Mac OS (Win10/11Free Drive) |
| 15 | LGX-L5Mate (Wifi5 AC1300M) |  | <ol style="list-style-type: none"> 1. Color: White 2. Material: ABS+PC 3. Chipset: BCM43569, Broadcom, US 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:400Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK/WPA2-PSK 9. Support Systems: Win7/Win8/Win10/Win11 |
| | LGX-L5Lite (Wifi6 AX900) |  | <ol style="list-style-type: none"> 1. Color: White 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/Win10/Win11 |

| | | | |
|--|--|---|---|
| | <p>LGX-L5BT Lite (Wifi 6 AX900M + BT5.3)</p> |  | <ol style="list-style-type: none"> 1. Color: White 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Bluetooth Version: 5.3 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 10. Support Systems: Win7/Win10/Win11 11. Bluetooth Support Systems: Win10/Win11 |
| | <p>LGX-L6BT SE (Wifi5 AC600M + BT4.2)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:150Mbps; 5.8GHz:443Mbps 6. Interface type: USB2.0 7. Antenna: 2*3dBi 8. Bluetooth: 4.2 9. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 10. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |
| | <p>LGX-L6S (Wifi5 AC1200M)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8812BU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 9. Support Systems: Windows XP/Vista/7/8/10/11, Mac OS (Win10/11Free Drive) |
| | <p>LGX-L6Mate (Wifi5 AC1300M)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: BCM43569, Broadcom, US 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:400Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK/WPA2-PSK 9. Support Systems: Win7/Win8/Win10/Win11 |
| | <p>LGX-L6Lite (Wifi6 AX900)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/Win10/Win11 |
| | <p>LGX-L6BT Lite (Wifi 6 AX900M + BT5.3)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Bluetooth Version: 5.3 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 10. Support Systems: Win7/Win10/Win11 11. Bluetooth Support Systems: Win10/Win11 |

| | | | |
|--|--|---|---|
| | <p>LGX-L7BT SE (Wifi5 AC600M + BT4.2)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:150Mbps; 5.8GHz:443Mbps 6. Interface type: USB2.0 7. Antenna: 2*3dBi 8. Bluetooth: 4.2 9. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 10. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |
| | <p>LGX-L7S (Wifi5 AC1200M)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8812BU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 9. Support Systems: Windows XP/Vista/7/8/10/11, Mac OS (Win10/11Free Drive) |
| | <p>LGX-L7Mate (Wifi5 AC1300M)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: BCM43569, Broadcom, US 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:400Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK/WPA2-PSK 9. Support Systems: Win7/Win8/Win10/Win11 |
| | <p>LGX-L7Lite (Wifi6 AX900)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/Win10/Win11 |
| | <p>LGX-L7BT Lite (Wifi 6 AX900M + BT5.3)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Bluetooth Version: 5.3 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 10. Support Systems: Win7/Win10/Win11 11. Bluetooth Support Systems: Win10/Win11 |
| | <p>LGX-L8BT SE (Wifi5 AC600M + BT4.2)</p> |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8821CU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:150Mbps; 5.8GHz:443Mbps 6. Interface type: USB2.0 7. Antenna: 2*3dBi 8. Bluetooth: 4.2 9. Encryption Mode: WEP, WPA/WPA2-PSK, WPA2/WPA3, WPA3 10. Support Systems: Win XP/Vista/7/8/10/11, Mac OS (Win 8/10/11 driver free) |

| | | | |
|----|--|---|---|
| | LGX-L8S (Wifi5 AC1200M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8812BU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 9. Support Systems: Windows XP/Vista/7/8/10/11, Mac OS (Win10/11Free Drive) |
| | LGX-L8Mate (Wifi5 AC1300M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: BCM43569, Broadcom, US 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:400Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK/WPA2-PSK 9. Support Systems: Win7/Win8/Win10/Win11 |
| | LGX-L8Lite (Wifi6 AX900) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 9. Support Systems: Win7/Win10/Win11 |
| | LGX-L8BT Lite (Wifi 6 AX900M + BT5.3) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: AIC8800M 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz: 286Mbps; 5.8GHz 601Mbps 6. Interface type: USB3.0/2.0 7. Antenna: 2*3dBi 8. Bluetooth Version: 5.3 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA2-PSK/WPA3-PSK 10. Support Systems: Win7/Win10/Win11 11. Bluetooth Support Systems: Win10/Win11 |
| 16 | LGX-L11S (Wifi5 AC1200M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: RTL8812BU 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 4*3dBi 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 9. Support Systems: Windows XP/Vista/7/8/10/11, Mac OS (Win10/11Free Drive) |
| 17 | LGX-L11Mate (Wifi5 AC1300M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: BCM43569, Broadcom, US 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:400Mbps; 5.8GHz:867Mbps 6. Interface type: USB3.0 7. Antenna: 4*3dBi 8. Encryption Mode: WEP, WPA-PSK/WPA2-PSK 9. Support Systems: Win7/Win8/Win10/Win11 |

| | | | |
|----|---|---|--|
| 18 | LGX-L11BT Plus (Wifi 6E AX3000M) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: MT7921AUN 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz:574Mbps; 5.8GHz:2402Mbps 6. Interface type: USB3.0 7. Antenna: 4*3dBi 8. Bluetooth: 5.2 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA3-PSK 10. Support Systems: Win10/Win11, Linux |
| 19 | LGX-L11BT Max (Wifi6 AX1800M + BT5.2) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: ZTW 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz:573Mbps; 5.8GHz:1201Mbps 6. Interface type: USB3.0 7. Antenna: 4*5dBi 8. Bluetooth Version: 8. Encryption Mode: 9. Support Systems: 10. Bluetooth Support Systems: |
| 20 | LGX-L11BT Plus (Wifi 6E AX3000M + BT5.2) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: MT7921AUN 4. Wireless Standards: IEEE802.11a/b/g/n/ac/ax 5. Transmission Rate: 2.4GHz:574Mbps; 5.8GHz:2402Mbps 6. Interface type: USB3.0 7. Antenna: 4*5dBi 8. Bluetooth Version: 5.2 8. Encryption Mode: WEP, WPA-PSK, WPA2-PSK, WPA3-PSK 9. Support Systems: Win10/Win11, Linux 10. Bluetooth Support Systems: |
| 21 | LGX-E5BT S (Wifi5 AC1200M + BT4.2) |  | <ol style="list-style-type: none"> 1. Color: Black 2. Material: ABS+PC 3. Chipset: Intel 7265 4. Wireless Standards: IEEE802.11a/b/g/n/ac 5. Transmission Rate: 2.4GHz:300Mbps; 5.8GHz:867Mbps 6. Interface type: PCIe 2.0 7. Antenna: 2*5dBi 8. Bluetooth Version: 4.2 9. Encryption Mode: WEP, WPA-PSK, WPA2-PSK 10. Support Systems: Win10/Win11 11. Bluetooth Support Systems: |

| |
|--------------------------|
| Model Name |
| Chipset |
| Interface |
| Wireless Speed |
| Frequency Range |
| Wireless Transmit Power |
| Work Mode |
| Wireless Security |
| Temperature Range |
| Humidity |
| Support Operating System |
| Net Weight |
| Dimension (H x W x D) |

| |
|--|
| LGX - D10 |
| TP 9343-AL3A, Qualcomm |
| 2* 10/100Mbps LAN |
| Up to 300Mbps |
| 2.4G |
| 20dBm (MAX EIRP) |
| Repeater / AP |
| 64/128 bits WEP, WPA, WPA2 |
| Operating: 0°C to 40°C, Storage: -40°C to 90°C |
| Operating: 5% to 95% (non-condensing), Storage: Max. 90% (non-condensing) |
| Windows XP/Vista/ Win 7/Win 8 /Win8.1 /Win10/Linux /Mac OS |
| 200g (With package) |
| 20 x 9.5 x 7.5 cm (With package) |
| 59 x 44 x 38 mm (60pcs/carton) |